Fukuda, K., see Kashihara, K., 351
Fukushima, K., Terashima, T., Kudo, J., Inoue, Y. and Kato, M., Projections of the group y of the vestibular nuclei and the dentate and fastigial nuclei of the cerebellum to the interstitial nucleus of Cajal, 285
Furukawa, T., see Sugihara, I., 261
Futami, T., Kano, M., Sento, S. and Shinoda, Y., Synaptic organization of the cerebello-thalamo-cerebral pathway in the cat. III. Cerebellar input to corticofugal neurons destined for different subcortical nuclei in areas 4 and 6, 321

G

Gattaz, W.F., see Rissler, K., 213
Geddes, J.W. and Cotman, C.W., Plasticity in hippocampal excitatory amino acid receptors in Alzheimer's disease, 672
Godoy, J.E., see Catalán, R.E., 395
Goelet, P., see Kandal, E.R., 498
Gómez, C., Torres, B., Jimenez-Ridruejo, G. and Delgado-García, J.M., A quantitative analysis of abducens motoneuron behavior during saccadic eye movements in the alert cat, 345
Górska, T., see Alstermark, 457
Górska, T., see Alstermark, B., 462

H

Hanada, M., see Horio, T., 311
Hashizume, K., see Kanda, K., 242
Hasuo, H. and Akasu, T., Luteinizing hormone-releasing hormone inhibits nicotinic transmission in bullfrog sympathetic ganglia, 444
Heldman, E., see Alkon, D.L., 487
Henderson, Z. and Blakemore, C., Organization of the visual pathways in the newborn kitten, 628
Higashima, M. and Yamamoto, C., The magnitude of long-term potentiation of field potentials induced monosynaptically in region CA3 of guinea pig hippocampus, 660
Hirano, S., see Asou, H., 364
Hochi, T., see Watanabe, H., 237
Hori, Y., Endo, K. and Willis, W.D., Synaptic actions of cutaneous Aδ and C fibers on primate hindlimb α-motoneurons, 411
Horio, T., Shimura, T., Hanada, M. and Shimokochi, M., Multiple unit activities recorded from the medial preoptic area during copulatory behavior in freely moving male rats, 311

I

Ihara, N., Nishida, K., Ueda, S., Kawata, M. and Sano, Y., Immunohistochemical investigations of the influence of reserpine on the serotonin neuron system in the rat brain, 145
Ihara, Y., Sato, M., Otsuki, S., Kaiya, H. and Namba, M., Morphological changes in rat striatal boutons after chronic methamphetamine and haloperidol treatment, 403
Ino, Y., see Motokizawa, F., 167
Inomata, N., Oomura, Y., Akaike, N. and Edwards, C., The anion selectivity of the γ-aminobutyric acid controlled chloride channel in the perfused spinal ganglion cell of frog, 371
Inoue, H., Kohsaka, S., Otani, M., Toya, S. and Tsukada, Y., The effect of arcuate nucleus transplantation on the development of the anterior pituitary in monosodium glutamate-treated rats, 555
Inoue, Y., see Fukushima, K., 285
Isa, T., Kurosawa, M., Sato, A. and Swenson, R.S., Reflex responses evoked in the adrenal sympathetic nerve to electrical stimulation of somatic afferent nerves in the rat, 130
Ishihara, H., see Kato, T., 247
Ishii, K., see Nakagawa, Y., 300
Ito, M., Long-term depression as a memory process in the cerebellum, 531
Ito, M., see Nagao, S., 39
Ito, M., see Yoshida, M., 356
Iwahori, N., A Golgi study on the dorsal nucleus of the lateral lemniscus in the mouse, 196

J

Jimenez-Ridruejo, G., see Gómez, C., 345
Johannisson, T., see Alstermark, B., 451
Johannisson, T., see Alstermark, B., 457
Johannisson, T., see Alstermark, B., 462

K

Kaiya, H., see Ihara, Y., 403
Kanda, K., Hashizume, K., Nomoto, E. and Asaki, S., The effects of aging on physiological properties of fast and slow twitch motor units in the rat gastrocnemius, 242
Kandel, E.R., Klein, M., Castellucci, V.F., Schacher, S. and Goelet, P., Some principles emerging from the study of short- and long-term memory, 498
Kano, M., see Futami, T., 321
Karachot, L., see Nagao, S., 39

Karasawa, N., see Yoshida, M., 356
Kasaba, T., see Aoki, M., 617
Kashihara, K., Sato, M., Fukuda, K., Fujiwara, Y. and Otsuki, S., Reduced apomorphine sensitivity of dopamine metabolism in rat striatum after repeated administration of methamphetamine, 351
Kashiwamata, S., see Keino, H., 183
Kato, G., see Sugita, S., 384
Kato, M., see Fukushima, K., 285
Kato, T., Ishihara, H. and Shimizu, A., Axonal transport of substance P-hydrolyzing peptidase in rat sciatic nerves, 247
Kawata, M., see Ihara, N., 145
Kawato, M., see Murakami, F., 590
Keino, H., Aoki, E. and Kashiwamata, S., Postnatal changes of the number and lobular distribution of acid phosphatase positive and lipid granule-containing cells in the cerebellum of hyperbilirubinemic Gunn rats, 183
Kimura, M., The role of primate putamen neurons in the association of sensory stimuli with movement, 436
Klein, M., see Kandel, E.R., 498
Kleinrok, Z., see Czuczwar, S.J., 86
Kohsaka, S., see Inoue, H., 555
Komatsu, H., see Kubota, K., 106
Koyano, K. and Abe, T., Pharmacological evidence for two types of Ca^{2+}-dependent K^+-conductance in bullfrog sympathetic ganglion cells, 162
Kubota, K. and Komatsu, H., Neuron activities of monkey prefrontal cortex during the learning of visual discrimination tasks with GO/NO-GO performances, 106
Kudo, J., see Fukushima, K., 285
Kuo, C.-H., see Nakagawa, Y., 300
Kurosawa, M., see Isa, T., 130
Kurosawa, Y., see Aoki, M., 617

L

Lavond, D.G., see Steinmetz, J.E., 606
Lederhendler, I., see Alkon, D.L., 487
Lundberg, A., see Alstermark, B., 451
Lundberg, A., see Alstermark, B., 457
Lundberg, A., see Alstermark, B., 462

M

Mackel, R., see Asanuma, H., 666
Martínez, A.M., see Catalán, R.E., 395
Matsumura, M. and Woody, C.D., Long-term increases in excitability of facial nuclei after presentations of stimuli leading to acquisition of a Pavlovian conditioned facial movement, 568
Matsushima, T., Satou, M. and Ueda, K., An electromyographic analysis of electrically-evoked prey-catching behavior by means of stimuli applied to the optic tectum in the Japanese toad, 154
McLaughlin, P.J., see Zagon, I.S., 1
Motokizawa, F., Ino, Y., Ohta, N. and Yasuda, N., The principal pathway from the piriform cortex to the deep amygdaloid nuclei in the cat, 167
Miguel, B.G., see Catalán, R.E., 395
Miki, N., see Nakagawa, Y., 300
Mizukawa, K., see Watanabe, H., 237
Murakami, F., Etoh, M., Kawato, M., Oda, Y. and Tsukahara, N., Synaptic currents at interpositorubral and corticorubral excitatory synapses measured by a new iterative single-electrode voltage-clamp method, 590

N

Nagao, S., Ito, M. and Karachot, L., Eye field in the cerebellar flocculus of pigmented rabbits determined with local electrical stimulation, 39
Nagatsu, I., see Yoshida, M., 356
Naito, S., see Alkon, D.L., 487
Nakagawa, Y., Kuo, C.-H., Ishii, K., Shiosaka, S., Tohyama, M. and Miki, N., Cloning and characterization of a cDNA specific for bovine retina, 300
Namba, M., see Ihara, Y., 403
Nguyen-Legros, J., Cesaro, P., Pollin, B. and Raoux, N., Impaired transport of iron–dextran complex in myelinated central fibers, 71
Nishida, K., see Ihara, N., 145
Nisimaru, N. and Watanabe, Y., A depressant area in the lateral nodulus-uvula of the cerebellum for renal sympathetic nerve activity and systemic blood pressure in the rabbit, 177
Noguchi, T., see Takazawa, A., 171
Nomoto, E., see Kanda, K., 242
Nomura, T. and Ogawa, H., The taste and mechanical response properties of neurons in the parvicellular part of the thalamic posteromedial ventral nucleus of the rat, 91
Nordby, T., see Dietrichs, E., 52

O

Oda, Y., see Murakami, F., 590
Ogawa, H., see Nomura, T., 91

Ogita, K., see Yoneda, Y., 430
Ohta, N., see Motokizawa, F., 167
Oomura, Y., see Inomata, N., 371
Oosaki, T. and Sugai, N., The presence of extraganglionic fluorescent neurons in the myenteric plexus of the guinea pig small intestine, 253
Otani, K., see Tanaka, K., 79
Otani, K., see Sugita, S., 384
Otani, M., see Inoue, H., 555
Otsuka, N., see Watanabe, H., 237
Otsuki, S., see Kashihara, K., 351
Otsuki, S., see Ihara, Y., 403
Ozawa, N., see Takazawa, A., 171

P

Pollin, B., see Nguyen-Legros, J., 71

R

Raoux, N., see Nguyen-Legros, J., 71
Rissler, K., Cramer, H., Schaudt, D., Strubel, D. and Gattaz, W.F., Molecular size distribution of somatostatin-like immunoreactivity in the cerebrospinal fluid of patients with degenerative brain disease, 213
Robles, A., see Catalán, R.E., 395
Rosen, D.J., see Steinmetz, J.E., 606

S

Sakai, M., see Yoshida, M., 356
Sakakibara, M., see Alkon, D.L., 487
Sano, Y., see Ihara, N., 145
Sato, A., see Isa, T., 130
Sato, M., see Kashihara, K., 351
Sato, M., see Ihara, Y., 403
Satomi, H., see Aoki, M., 617
Satou, M., see Matsushima, T., 154
Schacher, S., see Kandel, E.R., 498
Schaudt, D., see Rissler, K., 213
Sento, S., see Futami, T., 321
Shimizu, A., see Kato, T., 247
Shimokochi, M., see Horio, T., 311
Shimura, T., see Horio, T., 311
Shinoda, Y., see Futami, T., 321
Shiosaka, S., see Nakagawa, Y., 300
Steinmetz, J.E., Rosen, D.J., Woodruff-Pak, D.S., Lavond, D.G. and Thompson, R.F., Rapid transfer of training occurs when direct mossy fiber stimulation is used as a conditioned stimulus for classical eyelid conditioning, 606
Strubel, D., see Rissler, K., 213
Sugai, N., see Oosaki, T., 253
Sugihara, I. and Furukawa, T., Quickly flickering inwardly rectifying K channels in goldfish hair cell membrane, 261
Sugita, S., Otani, K. and Kato, G., Neurons of the dorsal lateral geniculate nucleus of the hereditary microphthalmic rat: a Golgi study, 384
Sugita, S., see Tanaka, K., 79
Suzuki, T. and Tanaka, R., Postsynaptic density visualized by whole mount electron microscopy, 226
Swenson, R.S., see Isa, T., 130

T

Takazawa, A., Ozawa, N., Uno, M. and Noguchi, T., Biphasic modulation of spontaneous activities of entopeduncular neurons by systemic application of apomorphine in anesthetized cats, 171
Tanaka, K., Otani, K., Tokunaga, A. and Sugita, S., The reciprocal connections of the suprageniculate nucleus and the superior colliculus in the rat, 79
Tanaka, R., see Suzuki, T., 226
Terashima, T., see Fukushima, K., 285
Thompson, R.F., see Steinmetz, J.E., 606
Tohyama, M., see Nakagawa, Y., 300
Tokunaga, A., see Tanaka, K., 79
Torres, B., see Gómez, C., 345
Toya, S., see Inoue, H., 555
Tsukada, Y., see Inoue, H., 555
Tsukahara, N., see Murakami, F., 590
Turski, L., see Czuczwar, S.J., 86
Turski, W.A., see Czuczwar, S.J., 86

V

Vaughn, B.V., see Zagon, I.S., 1

U

Ueda, K., see Matsushima, T., 154
Ueda, S., see Ihara, N., 145
Uno, M., see Takazawa, A., 171

W

Walberg, F., see Dietrichs, E., 52
Watanabe, E., Role of the primate flocculus in adaptation of the vestibulo-ocular reflex, 20

Watanabe, H., Hochi, T., Mizukawa, K. and Otsuka, N., Electron microscopic studies of mossy fiber endings in the hippocampal formation of rats after picrotoxin administration, 237
Watanabe, Y., see Nisimaru, N., 177
Wei, J.-B. and Chiang, C.-Y., Responses of serotonergic and non-serotonergic neurons in the rat nucleus raphe magnus to systemic lysergic acid diethylamide, 268
Willis, W.D., see Hori, Y., 411
Woodruff-Pak, D.S., see Steinmetz, J.E., 606
Woody, C.D., see Matsumura, M., 568

Y

Yamamoto, C., see Higashima, M., 660
Yamamoto, N., Partial purification and characterization of a neurite outgrowth-promoting factor from chick heart-cell conditioned medium, 540
Yasuda, N., see Motokizawa, F., 167
Yoneda, Y. and Ogita, K., [^{3}H]Glutamate binding sites in the rat pituitary, 430
Yoshida, M., Karasawa, N., Ito, M., Sakai, M. and Nagatsu, I., Demonstration of taurine-like immunoreactive structures in the rat brain, 356

Z

Zagon, I.S., Vaughn, B.V., McLaughlin, P.J. and Balaban, C.D., Localization of methadone in the brain of young rats by computer-assisted autoradiography, 1

Neuroscience Research, 3 (1986) 685–697
Elsevier Scientific Publishers Ireland Ltd.

Key Word Index

A

Abducens nucleus
alert cat; eye movements; identified motoneurons; oculomotor system, 345

glutamate; cyclic GMP; adenosine; cerebellum; maturation, 395

Acetylcholine release
bullfrog sympathetic ganglia; LH-RH; fast EPSP; synaptic modulation; nicotinic transmission, 444

substance P; sartorius muscle; neuromuscular transmission; presynaptic facilitation, 275

Acid phosphatase
cholesteryl ester; Gunn rats; cerebellum, 183

Aδ fibers
cutaneous nerve; C fibers; motoneurons; postsynaptic potentials; primate, 411

Adaptation
cerebellum; flocculus; Purkinje cell; monkey vestibulo-ocular reflex; plasticity, 20

Adenosine
glutamate; acetylcholinesterase; cyclic GMP; cerebellum; maturation, 395

Adrenal nerve
sympathetic nervous system; reflex; somatic afferents; electrical stimulation; rat, 130

Afterhyperpolarization
Ca^{2+}-dependent K^+-conductance; apamin; bullfrog sympathetic ganglion cell, 162

Aging
fast and slow motor units; mechanical properties; conduction velocity; rat, 242

Alert cat
eye movements; abducens nucleus; identified motoneurons; oculomotor system, 345

Alzheimer's disease
glutamate; N-methyl-D-aspartate; kainate; excitatory amino acid receptors; hippocampus; excitotoxicity, 672

Amygdala
piriform cortex; entorhinal area; olfaction; single unit analysis; cat, 167

Angiotensin-converting enzymes
rat sciatic nerves; metalloendopeptidase; prolyl endopeptidase; substance P; HPLC, 247

Anion selectivity
frog sensory neuron; internal perfusion; GABA; Cl^- channel; reversal potential, 371

Apamin
Ca^{2+}-dependent K^+-conductance; afterhyperpolarization; bullfrog sympathetic ganglion cell, 162

Aplysia
short-term memory; long-term memory; gill-withdrawal reflex; synaptic transmission; sensitization; potassium channels, 498

Apomorphine
entopeduncular nucleus; single unit recording; biphasic modulation, 171

repeated methamphetamine doses; presynaptic dopamine autoreceptors; dopamine metabolism; dopaminergic sensitization; α-butyrolactone, 351

Arcuate nucleus
transplantation; monosodium glutamate (MSG); growth hormone (GH); growth hormone-releasing hormone (GRH); immunohistochemistry, 555

Arm movement
putamen; basal ganglia; monkey; behaviourally contingent; orofacial movement, 436

Astrocyte-deficient primary culture
neuron-enriched primary culture; glial fibrillary acidic protein, 364

Autoradiography
methadone; opioids; naloxone; receptors; development; rat brain, 1

B

Basal ganglia
putamen; monkey; behaviourally contingent; arm movement; orofacial movement, 436

Behavior
methamphetamine; haloperidol; rat; morphometry; microscopic histochemistry; striatum; bouton, 403

Behaviourally contingent
putamen; basal ganglia; monkey; arm movement; orofacial movement, 436

Bioassay
neurite outgrowth-promoting factor; conditioned medium; substratum; tissue culture; dorsal root ganglia; chick, 540

Biphasic modulation
apomorphine; entopeduncular nucleus; single unit recording, 171

Blood pressure
cerebellum; uvula; nodulus; inhibitory response; renal sympathetic nerve; rabbit, 177

Bouton
methamphetamine; haloperidol; behavior; rat; morphometry; microscopic histochemistry; striatum, 403

Bullfrog sympathetic ganglion cell
Ca^{2+}-dependent K^+-conductance; apamin; afterhyperpolarization, 162

Bullfrog sympathetic ganglia
LH-RH; fast EPSP; synaptic modulation; nicotinic transmission; acetylcholine release, 444

α-Butyrolactone
repeated methamphetamine doses; presynaptic dopamine autoreceptors; dopamine metabolism; dopaminergic sensitization; apomorphine, 351

C

C fibers
cutaneous nerve; Aδ fibers; motoneurons; postsynaptic potentials; primate, 411

C2 dorsal column transection
visually guided forelimb movements; severe motor deficits, 462

C3-C4 propriospinal neurones
natural stimulation; forelimb; feedback inhibition, 451

target-reaching; feedback inhibition; forelimb; C5/6 dorsal column transection; hypermetria, 457

C5/6 dorsal column transection
target-reaching; C3-C4 propriospinal neurones; feedback inhibition; forelimb; hypermetria, 457

Ca^{2+}-dependent K^+-conductance
apamin; afterhyperpolarization; bullfrog sympathetic ganglion cell, 162

Cat
amygdala; piriform cortex; entorhinal area; olfaction; single unit analysis, 167

iterative voltage clamp; single-electrode voltage clamp; red nucleus (RN); synaptic current; corticorubral (CR) EPSP; interpositorubral (IR) EPSP, 590

kitten; retina; superior colliculus; lateral geniculate nucleus; visual cortex; visual development, 628

Cerebello-olivary fibres
olivo-cerebellar fibres; WGA-HRP; implantation technique, 52

Cerebellum
flocculus; Purkinje cell; monkey vestibulo-ocular reflex; adaptation, plasticity, 20

flocculus; eye movement; Purkinje cell; rabbit, 39

uvula; nodulus; inhibitory response; renal sympathetic nerve; blood pressure; rabbit, 177

acid phosphatase; cholesteryl ester; Gunn rats, 183

motor cortex; red nucleus; pontine nucleus; spinal cord; pyramidal tract neuron, 321

glutamate; acetylcholinesterase; cyclic GMP; adenosine; maturation, 395

plasticity; memory; climbing fiber; parallel fiber, 531

pontine nuclei; mossy fiber stimulation; classical conditioning; transfer of training; conditioned stimulus, 606

Cerebrospinal fluid
somatostatin; molecular size distribution; dementia; hydrocephalus, 213

Chick
neurite outgrowth-promoting factor; conditioned medium; substratum; tissue culture; bioassay; dorsal root ganglia, 540

Cholesteryl ester
acid phosphatase; Gunn rats; cerebellum, 183

Classical conditioning
pontine nuclei; mossy fiber stimulation; cerebellum; transfer of training; conditioned stimulus, 606

Cl^- channel
frog sensory neuron; internal perfusion; GABA; reversal potential; anion selectivity, 371

Climbing fiber
cerebellum; plasticity; memory; parallel fiber, 531

CNS electrophysiology
facial nucleus; facial motoneurons; conditioning; neural excitability; eyeblink conditioning, 568

Collateral sprouting
monkey; spinal hemisection; HRP; motor recovery; corticospinal connection; motor cortex; hindlimb, 617

Conditioned medium
neurite outgrowth-promoting factor; substratum; tissue culture; bioassay; dorsal root ganglia; chick, 540

Conditioned reflex
red nucleus; excitatory postsynaptic potential; regeneration; synaptic plasticity; synaptic relocation, 476

Conditioned stimulus
pontine nuclei; mossy fiber stimulation; cerebellum; classical conditioning; transfer of training, 606

Conduction velocity
fast and slow motor units; mechanical properties; aging; rat, 242

Conditioning
facial nucleus; facial motoneurons; CNS electrophysiology; neural excitability; eyeblink conditioning, 568

Corticorubral (CR) EPSP
iterative voltage clamp; single-electrode voltage clamp; red nucleus (RN); synaptic current; interpositorubral (IR) EPSP; cat, 590

Corticospinal connection
monkey; spinal hemisection; HRP; motor recovery; collateral sprouting; motor cortex; hindlimb, 617

Cultaneous nerve
Aδ fibers; C fibers; motoneurons; postsynaptic potentials; primate, 411

Cyclic GMP
glutamate; acetylcholinesterase; adenosine; cerebellum; maturation, 395

D

Deep cerebellar nuclei
taurine; neurotransmitter; neuromodulator; symmetrical synapse; immunohistochemistry; ultrastructure, 356

Dementia
somatostatin; molecular size distribution; cerebrospinal fluid; hydrocephalus, 213

Dendritic synapses
efficiency; hippocampal pyramidal cells, 521

Dentate nucleus
group y nucleus; fastigial nucleus; interstitial nucleus of Cajal; vestibular inputs, 285

Development
methadone; opioids; naloxone; receptors; autoradiography; rat brain, 1

Dopamine metabolism
repeated methamphetamine doses; presynaptic dopamine autoreceptors; dopaminergic sensitization; α-butyrolactone; apomorphine, 351

Dopaminergic sensitization
repeated methamphetamine doses; presynaptic dopamine autoreceptors; dopamine metabolism; α-butyrolactone; apomorphine, 351

Dorsal columns
motor cortex; plasticity; motor function, 666

Dorsal nucleus of the lateral lemniscus
mouse; Golgi method, 196

Dorsal root ganglia
neurite outgrowth-promoting factor; conditioned medium; substratum; tissue culture; bioassay; chick, 540

E

Efficiency
dendritic synapses; hippocampal pyramidal cells, 521

Electrical stimulation
sympathetic nervous system; adrenal nerve; reflex; somatic afferents, rat, 130

electromyogram (EMG); prey-catching behavior; motor pattern; optic tectum; toad, 154

Electromyogram (EMG)
prey-catching behavior; motor pattern; electrical stimulation; optic tectum; toad, 154

Electroshock
excitatory amino acid antagonists; seizures, 86

Electron microscopy
hippocampus; mossy fiber ending; large dense-core vesicles; picrotoxin; seizure; rat, 237

Entopeduncular nucleus
apomorphine; single unit recording; biphasic modulation, 171

Entorhinal area
amygdala; piriform cortex; olfaction; single unit analysis; cat, 167

Excitatory amino acid antagonists
electroshock; seizures, 86

Excitatory amino acid receptors
glutamate; N-methyl-D-aspartate; kainate; hippocampus; Alzheimer's disease; excitotoxicity, 672

Excitatory postsynaptic potential
red nucleus; regeneration; synaptic plasticity; synaptic relocation; conditioned reflex, 476

Excitotoxicity
glutamate; N-methyl-D-aspartate; kainate; excitatory amino acid receptors; hippocampus; Alzheimer's disease, 672

Extraganglionic fluorescent neuron
myenteric plexus; small intestine; guinea pig, 253

Eyeblink conditioning
facial nucleus; facial motoneurons; conditioning; CNS electrophysiology; neural excitability, 568

Eye movement
flocculus; cerebellum; Purkinje cell; rabbit, 39

alert cat; abducens nucleus; identified motoneurons; oculomotor system, 345

F

Facial motoneurons
facial nucleus; conditioning; CNS electrophysiology; neural excitability; eyeblink conditioning, 568

Facial nucleus
facial motoneurons; conditioning; CNS electrophysiology; neural excitability; eyeblink conditioning, 568

Fast and slow motor units
mechanical properties; conduction velocity; aging; rat, 242

Fast EPSP
bullfrog sympathetic ganglia; LH-RH; synaptic modulation; nicotinic transmission; acetylcholine release, 444

Fastigial nucleus
group y nucleus; dentate nucleus; interstitial nucleus of Cajal; vestibular inputs, 285

Feedback inhibition
natural stimulation; forelimb; C3-C4 propriospinal neurones, 451

target-reaching; C3-C4 propriospinal neurones; forelimb; C5/6 dorsal column transection; hypermetria, 457

Flocculus
cerebellum; Purkinje cell; monkey vestibulo-ocular reflex; adaptation; plasticity, 20

cerebellum; eye movement; Purkinje cell; rabbit, 39

Forelimb
natural stimulation; feedback inhibition; C3-C4 propriospinal neurones, 451

target reaching; C3-C4 propriospinal neurones; feedback inhibition; C5/6 dorsal column transection; hypermetria, 457

Frog sensory neuron
internal perfusion; GABA; Cl^- channel; reversal potential; anion selectivity, 371

G

GABA
frog sensory neuron; internal perfusion; Cl^- channel; reversal potential; anion selectivity, 371

Gill-withdrawal reflex
short-term memory; long-term memory; *Aplysia*: synaptic transmission; sensitization; potassium channels, 498

Glial fibrillary acidic protein
neuron-enriched primary culture; astrocyte-deficient primary culture, 364

Glutamate
acetylcholinesterase; cyclic GMP; adenosine; cerebellum; maturation, 395

N-methyl-D-aspartate; kainate; excitatory amino acid receptors; hippocampus; Alzheimer's disease; excitotoxicity, 672

[^{3}H]Glutamate binding sites
pituitary; neurohypophysis; Na^+ ions; quisqualic acid, 430

Golgi method
dorsal nucleus of the lateral lemniscus; mouse, 196

Golgi study
lateral geniculate nucleus; microphthalmia; rat, 384

Group y nucleus
dentate nucleus; fastigial nucleus; interstitial nucleus of Cajal; vestibular inputs, 285

Growth hormone (GH)
transplantation; monosodium glutamate (MSG); growth hormone-releasing hormone (GRH); arcuate nucleus; immunohistochemistry, 555

Growth hormone-releasing hormone (GRH)
transplantation; monosodium glutamate (MSG); growth hormone (GH); arcuate nucleus; immunohistochemistry, 555

Guinea pig
extraganglionic fluorescent neuron; myenteric plexus; small intestine, 253

long-term potentiation; short-term potentiation; non-synaptic activation; hippocampus, 660

Gunn rats
acid phosphatase; cholesteryl ester; cerebellum, 183

H

Hair cell
patch clamp; inwardly rectifying K channel; potential dependency; intrinsic gating, 261

Haloperidol
methamphetamine; behavior; rat; morphometry; microscopic histochemistry; striatum; bouton, 403

Hindlimb
monkey; spinal hemisection; HRP; motor recovery; corticospinal connection; collateral sprouting; motor cortex, 617

Hippocampal pyramidal cells
efficiency; dendritic synapses, 521

Hippocampus
mossy fiber ending; large dense-core vesicles; picrotoxin; seizure; electron microscopy; rat, 237

long-term potentiation; short-term potentiation; non-synaptic activation; guinea pig, 660

glutamate; N-methyl-D-aspartate; kainate; excitatory amino acid receptors; Alzheimer's disease; excitotoxicity, 672

HPLC
rat sciatic nerves; metalloendopeptidase; angiotensin-converting enzymes; prolyl endopeptidase; substance P, 247

HRP
visual system; reciprocal connection; superior colliculus; suprageniculate nucleus; rat, 79

monkey; spinal hemisection; motor recovery; corticospinal connection; collateral sprouting; motor cortex; hindlimb, 617

Hydrocephalus
somatostatin; molecular size distribution; cerebrospinal fluid; dementia, 213

Hypermetria
target-reaching; C3-C4 propriospinal neurones; feedback inhibition; forelimb; C5/6 dorsal column transection; 457

I

Identified motoneurons
alert cat; eye movements; abducens nucleus; oculomotor system, 345

Immunohistochemistry
serotonin; rat; reserpine; PAP, 145

taurine; neurotransmitter; neuromodulator; symmetrical synapse; deep cerebellar nuclei; ultrastructure, 356

Implantation technique
olivo-cerebellar fibres; cerebello-olivary fibres; WGA-HRP, 52

Inhibitory response
cerebellum; uvula; nodulus; renal sympathetic nerve; blood pressure; rabbit, 177

Internal perfusion
frog sensory neuron; GABA; Cl^- channel; reversal potential; anion selectivity, 371

Interpositorubral (IR) EPSP
iterative voltage clamp; single-electrode voltage clamp; red nucleus (RN); synaptic current; corticorubral (CR) EPSP; cat, 590

Interstitial nucleus of Cajal
group y nucleus; dentate nucleus; fastigial nucleus; vestibular inputs, 285

Intrinsic gating
hair cell; patch clamp; inwardly rectifying K channel; potential dependency, 261

Inwardly rectifying K channel
hair cell; patch clamp; potential dependency; intrinsic gating, 261

Iron–dextran complex
retrograde axonal transport; optic nerve; myelin, 71

Iterative voltage clamp
single-electrode voltage clamp; red nucleus (RN); synaptic current; corticorubral (CR) EPSP; interpositorubral (IR) EPSP; cat, 590

K

Kainate
glutamate; N-methyl-D-aspartate; excitatory amino acid receptors; hippocampus; Alzheimer's disease; excitotoxicity, 672

Kinases
learning; neurochemicals; modulation; potassium currents, 487

Kitten
cat; retina; superior colliculus; lateral geniculate nucleus; visual cortex; visual development, 628

L

Large dense-core vesicles
hippocampus; mossy fiber ending; picrotoxin; seizure; electron microscopy; rat, 237

Lateral geniculate nucleus
microphthalmia; rat; Golgi study, 384

cat; kitten; retina; superior colliculus; visual cortex; visual development, 628

Learning
prefrontal cortex; neurons; visual discrimination; reversal, 106

neurochemicals; modulation; potassium currents; kinases, 487

LH-RH
bullfrog sympathetic ganglia; fast EPSP; synaptic modulation; nicotinic transmission; acetylcholine release, 444

Long-term memory
short-term memory; *Aplysia*; gill-withdrawal reflex; synaptic transmission; sensitization; potassium channels, 498

Long-term potentiation
short-term potentiation; non-synaptic activation; hippocampus; guinea pig, 660

Lysergic acid diethylamine
serotonergic neuron; non-serotonergic neuron; nucleus raphe magnus; 268

M

Male copulatory behavior
multiple unit activity (MUA); medial preoptic area (MPO); rat, 311

Maturation
glutamate; acetylcholinesterase; cyclic GMP; adenosine; cerebellum, 395

Mechanical properties
fast and slow motor units; conduction velocity; aging; rat, 242

Mechanoreception
taste; receptive field; oral cavity; thalamus; rats, 91

Medial preoptic area (MPO)
multiple unit activity (MUA); male copulatory behavior; rat, 311

Memory
cerebellum; plasticity; climbing fiber; parallel fiber, 531

Metalloendopeptidase
rat sciatic nerves; angiotensin-converting enzymes; prolyl endopeptidase; substance P; HPLC, 247

Methadone
opioids; naloxone; receptors; autoragiography; development; rat brain, 1

Methamphetamine
haloperidol; behavior; rat; morphometry; microscopic histochemistry; striatum; bouton, 403

Microphthalmia
lateral geniculate nucleus; rat; Golgi study, 384

Microscopic histochemistry
methamphetamine; haloperidol; behavior; rat; morphometry; striatum; bouton, 403

Modulation
learning; neurochemicals; potassium currents; kinases, 487

Molecular cloning
retina specific cDNA; neural retina, 300

Molecular size distribution
somatostatin; cerebrospinal fluid; dementia; hydrocephalus, 213

Monkey
putamen; basal ganglia; behaviourally contingent; arm movement; orofacial movement, 436

spinal hemisection; HRP; motor recovery; corticospinal connection; collateral sprouting; motor cortex; hindlimb, 617

Monkey vestibulo-ocular reflex
cerebellum; flocculus; Purkinje cell; adaptation; plasticity, 20

Monosodium glutamate (MSG)
transplantation; growth hormone (GH); growth hormone-releasing hormone (GRH); arcuate nucleus; immunohistochemistry, 555

Morphometry
methamphetamine; haloperidol; behavior; rat; microscopic histochemistry; striatum; bouton, 403

Mossy fiber ending
hippocampus; large dense-core vesicles; picrotoxin; seizure; electron microscopy; rat, 237

Mossy fiber stimulation
pontine nuclei; cerebellum; classical conditioning; transfer of training; conditioned stimulus, 606

Motoneurons
cutaneous nerve; Aδ fibers; C fibers; postsynaptic potentials; primate, 411

Motor cortex
cerebellum; red nucleus; pontine nucleus; spinal cord; pyramidal tract neuron, 321

monkey; spinal hemisection; HRP; motor recovery; corticospinal connection; collateral sprouting; hindlimb, 617

dorsal columns; plasticity; motor function, 666

Motor function
dorsal columns; motor cortex; plasticity, 666

Motor pattern
electromyogram (EMG); prey-catching behavior; electrical stimulation; optic tectum; toad, 154

Motor recovery
monkey; spinal hemisection; HRP; corticospinal connection; collateral sprouting; motor cortex; hindlimb, 617

Mouse
dorsal nucleus of the lateral lemniscus; Golgi method, 196

Multiple unit activity (MUA)
medial preoptic area (MPO); male copulatory behavior; rat, 311

Myelin
iron–dextran complex; retrograde axonal transport; optic nerve, 71

Myenteric plexus
extraganglionic fluorescent neuron; small intestine; guinea pig, 253

N

Na^+ ions
[^{3}H]glutamate binding sites; pituitary; neurohypophysis; quisqualic acid, 430

Naloxone
methadone; opioids; receptors; autoradiography; development; rat brain, 1

Natural stimulation
forelimb; feedback inhibition; C3-C4 propriospinal neurones, 451

Neural excitability
facial nucleus; facial motoneurons; conditioning; CNS electrophysiology; eyeblink conditioning, 568

Neural retina
retina specific cDNA; molecular cloning, 300

Neurohypophysis
[^{3}H]glutamate binding sites; pituitary; Na^+ ions; quisqualic acid, 430

Neurite outgrowth-promoting factor
conditioned medium; substratum; tissue culture; bioassay; dorsal root ganglia; chick, 540

Neurons
prefrontal cortex; learning; visual discrimination; reversal, 106

Neuron-enriched primary culture
astrocyte-deficient primary culture; glial fibrillary acidic protein, 364

Neurochemicals
learning; modulation; potassium currents; kinases, 487

Neuromodulator
taurine; neurotransmitter; symmetrical synapse; deep cerebellar nuclei; immunohistochemistry; ultrastructure, 356

Neuromuscular transmission
substance P; sartorius muscle; presynaptic facilitation; ACh-release, 275

Neurotransmitter
taurine; neuromodulator; symmetrical synapse; deep cerebellar nuclei; immunohistochemistry; ultrastructure, 356

Nicotinic transmission
bullfrog sympathetic ganglia; LH-RH; fast EPSP; synaptic modulation; acetylcholine release, 444

N-methyl-D-aspartate
glutamate; kainate; excitatory amino acid receptors; hippocampus; Alzheimer's disease; excitotoxicity, 672

Nodulus
cerebellum; uvula; inhibitory response; renal sympathetic nerve; blood pressure; rabbit, 177

Non-serotonergic neuron
lysergic acid diethylamide; serotonergic neuron; nucleus raphe magnus, 268

Non-synaptic activation
long-term potentiation; short-term potentiation; hippocampus; guinea pig, 660

Nucleus raphe magnus
lysergic acid diethylamide; serotonergic neuron; non-serotonergic neuron, 268

O

Oculomotor system
alert cat; eye movements; abducens nucleus; identified motoneurons, 345

Olfaction
amygdala; piriform cortex; entorhinal area; single unit analysis; cat, 167

Olivo-cerebellar fibres
cerebello-olivary fibres; WGA-HRP; implantation technique, 52

Opioids
methadone; naloxone; receptors; autoradiography; development; rat brain, 1

Optic nerve
iron–dextran complex; retrograde axonal transport; myelin, 71

Optic tectum
electromyogram (EMG); prey-catching behavior; motor pattern; electrical stimulation; toad, 154

Oral cavity
taste; mechanoreception; receptive field; thalamus; rats, 91

Orofacial movement
putamen; basal ganglia; monkey; behaviourally contingent; arm movement, 436

P

PAP
serotonin; rat; reserpine; immunohistochemistry, 145

Parallel fiber
cerebellum; plasticity; memory; climbing fiber, 531

Patch clamp
hair cell; inwardly rectifying K channel; potential dependency; intrinsic gating, 261

Picrotoxin
hippocampus; mossy fiber ending; large dense-core vesicles; seizure; electron microscopy; rat, 237

Piriform cortex
amygdala; entorhinal area; olfaction; single unit analysis; cat, 167

Pituitary
[^{3}H]glutamate binding sites; neurohypophysis; Na^+ ions; quisqualic acid, 430

Plasticity
cerebellum; flocculus; Purkinje cell; monkey vestibulo-ocular reflex; adaptation, 20

cerebellum; memory; climbing fiber; parallel fiber, 531

dorsal columns; motor cortex; motor function; 666

Pontine nucleus
motor cortex; cerebellum; red nucleus; spinal cord; pyramidal tract neuron, 321

mossy fiber stimulation; cerebellum; classical conditioning; transfer of training; conditioned stimulus, 606

Postsynaptic density
whole mount electron microscopy; synaptic plasma membrane; rat cerebrum, 226

Postsynaptic potentials
cutaneous nerve; Aδ fibers; C fibers; motoneurons; primate, 411

Potassium channels
short-term memory; long-term memory; *Aplysia*; gill-withdrawal reflex; synaptic transmission; sensitization, 498

Potassium currents
learning; neurochemicals; modulation; kinases, 487

Potential dependency
hair cell; patch clamp; inwardly rectifying K channel; intrinsic gating, 261

Prefrontal cortex
neurons; learning; visual discrimination; reversal, 106

Prey-catching behavior
electromyogram (EMG); motor pattern; electrical stimulation; optic tectum; toad, 154

Presynaptic dopamine autoreceptors
repeated methamphetamine doses; dopamine metabolism; dopaminergic sensitization; α-butyrolactone; apomorphine, 351

Presynaptic facilitation
substance P; sartorius muscle; neuromuscular transmission; ACh-release, 275

Primate
cutaneous nerve; Aδ fibers; C fibers; motoneurons; postsynaptic potentials, 411

Prolyl endopeptidase
rat sciatic nerves; metalloendopeptidase; angiotensin-converting enzymes; substance P; HPLC, 247

Purkinje cell
cerebellum; flocculus; monkey vestibulo-ocular reflex; adaptation; plasticity, 20

Purkinje cell
flocculus; cerebellum; eye movement; rabbit, 39

Putamen
basal ganglia; monkey; behaviourally contingent; arm movement; orofacial movement, 436

Pyramidal tract neuron
motor cortex; cerebellum; red nucleus; pontine nucleus; spinal cord, 321

Q

Quisqualic acid
[^{3}H]glutamate binding sites; pituitary; neurohypophysis; Na^+ ions, 430

R

Rabbit
flocculus; cerebellum; eye movement; Purkinje cell, 39

cerebellum; uvula; nodulus; inhibitory response; renal sympathetic nerve, 177

Rat
visual system; reciprocal connection; superior colliculus; suprageniculate nucleus; HRP, 79

taste; mechanoreception; receptive field; oral cavity; thalamus, 91

sympathetic nervous system; adrenal nerve; reflex; somatic afferents; electrical stimulation, 130

serotonin; reserpine; immunohistochemistry; PAP, 145

hippocampus; mossy fiber ending; large dense-core vesicles; picrotoxin; seizure; electron microscopy, 237

fast and slow motor units; mechanical properties; conduction velocity; aging, 242

multiple unit activity (MUA); medial preoptic area (MPO); male copulatory behavior, 311

lateral geniculate nucleus; microphthalmia; Golgi study, 384

methamphetamine; haloperidol; behavior; morphometry; microscopic histochemistry; striatum; bouton, 403

Rat brain
methadone; opioids; nalaxone; receptors; autoradiography; development, 1

Rat cerebrum
whole mount electron microscopy; postsynaptic density; synaptic plasma membrane, 226

Rat sciatic nerves
metalloendopeptidase; angiotensin-converting enzymes; prolyl endopeptidase; substance P; HPLC, 247

Receptive field
taste; mechanoreception; oral cavity; thalamus; rats, 91

Receptors
methadone; opioids; naloxone; autoradiography; development; rat brain, 1

Reciprocal connection
visual system; superior colliculus; suprageniculate nucleus; rat; HRP, 79

Red nucleus
motor cortex; cerebellum; pontine nucleus; spinal cord; pyramidal tract neuron, 321

excitatory postsynaptic potential; regeneration; synaptic plasticity; synaptic relocation; conditioned reflex, 476

iterative voltage clamp; single-electrode voltage clamp; synaptic current; corticorubral (CR) EPSP; interpositorubral (IR) EPSP; cat, 590

Reflex
sympathetic nervous system; adrenal nerve; somatic afferents; electrical stimulation; rat, 130

Regeneration
red nucleus; excitatory postsynaptic potential; synaptic plasticity; synaptic relocation; conditioned reflex, 476

Renal sympathetic nerve
cerebellum; uvula; nodulus; inhibitory response; blood pressure; rabbit, 177

Repeated methamphetamine doses
presynaptic dopamine autoreceptors; dopamine metabolism; dopaminergic sensitization; α-butyrolactone; apomorphine, 351

Reserpine
serotonin; rat; immunohistochemistry; PAP, 145

Retina
cat; kitten; superior colliculus; lateral geniculate nucleus; visual cortex; visual development, 628

Retina specific cDNA
neural retina; molecular cloning, 300

Retrograde axonal transport
iron–dextran complex; optic nerve; myelin, 71

Reversal
prefrontal cortex; neurons; learning; visual discrimination, 106

Reversal potential
frog sensory neuron; internal perfusion; GABA; Cl^- channel; anion selectivity, 371

S

Sartorius muscle
substance P; neuromuscular transmission; presynaptic facilitation; ACh-release, 275

Seizure
excitatory amino acid antagonists; electroshock, 86

hippocampus; mossy fiber ending; large dense-core vesicles; picrotoxin; electron microscopy; rat, 237

Sensitization
short-term memory; long-term memory; *Aplysia*; gill-withdrawal reflex; synaptic transmission; potassium channels, 498

Serotonergic neuron
lysergic acid diethylamide; non-serotonergic neuron; nucleus raphe magnus, 268

Serotonin
rat; reserpine; immunohistochemistry; PAP, 145

Severe motor deficits
visually guided forelimb movements; C2 dorsal column transection, 462

Short-term memory
long-term memory; *Aplysia*; gill-withdrawal reflex; synaptic transmission; sensitization; potassium channels, 498

Short-term potentiation
long-term potentiation; non-synaptic activation; hippocampus; guinea pig, 660

Single-electrode voltage clamp
iterative voltage clamp; red nucleus (RN); synaptic current; corticorubral (CR) EPSP; interpositorubral (IR) EPSP; cat, 590

Single unit analysis
amygdala; piriform cortex; entorhinal area; olfaction; cat, 167

Single unit recording
apomorphine; entopeduncular nucleus; biphasic modulation, 171

Small intestine
extraganglionic fluorescent neuron; myenteric plexus; guinea pig, 253

Somatic afferents
sympathetic nervous system; adrenal nerve; reflex; electrical stimulation; rat, 130

Somatostatin
molecular size distribution; cerebrospinal fluid; dementia; hydrocephalus, 213

Spinal cord
motor cortex; cerebellum; red nucleus; pontine nucleus; pyramidal tract neuron, 321

Spinal hemisection
monkey; HRP; motor recovery; corticospinal connection; collateral sprouting; motor cortex; hindlimb, 617

Striatum
methamphetamine; haloperidol; behavior; rat; morphometry; microscopic histochemistry; bouton, 403

Substance P
rat sciatic nerves; metalloendopeptidase; angiotensin-converting enzymes; prolyl endopeptidase; HPLC, 247

sartorius muscle; neuromuscular transmission; presynaptic facilitation; ACh-release, 275

Substratum
neurite outgrowth-promoting factor; conditioned medium; tissue culture; bioassay; dorsal root ganglia; chick, 540

Superior colliculus
visual system; reciprocal connection; suprageniculate nucleus; rat; HRP, 79

cat; kitten; retina; lateral geniculate nucleus; visual cortex; visual development, 628

Suprageniculate nucleus
visual system; reciprocal connection; superior colliculus; rat; HRP, 79

Symmetrical synapse
taurine; neurotransmitter; neuromodulator; deep cerebellar nuclei; immunohistochemistry; ultrastructure, 356

Sympathetic nervous sytem
adrenal nerve; reflex; somatic afferents; electrical stimulation; rat, 130

Synaptic current
iterative voltage clamp; single-electrode voltage clamp; red nucleus (RN); corticorubral (CR) EPSP; interpositorubral (IR) EPSP; cat, 590

Synaptic modulation
bullfrog sympathetic ganglia; LH-RH; fast EPSP; nicotinic transmission; acetylcholine release, 444

Synaptic plasma membrane
whole mount electron microscopy; postsynaptic density; rat cerebrum, 226

Synaptic plasticity
red nucleus; excitatory postsynaptic potential; regeneration; synaptic relocation; conditioned reflex, 476

Synaptic relocation
red nucleus; excitatory postsynaptic potential; regeneration; synaptic plasticity; conditioned reflex, 476

Synaptic transmission
short-term memory; long-term memory; *Aplysia*; gill-withdrawal reflex; sensitization; potassium channels, 498

T

Target-reaching
C3-C4 propriospinal neurones; feedback inhibition; forelimb; C5/6 dorsal column transection; hypermetria, 457

Taste
mechanoreception; receptive field; oral cavity; thalamus; rats, 91

Taurine
neurotransmitter; neuromodulator; symmetrical synapse; deep cerebellar nuclei; immunohistochemistry; ultrastructure, 356

Thalamus
taste; mechanoreception; receptive field; oral cavity; rats, 91

Tissue culture
neurite outgrowth-promoting factor; conditioned medium; substratum; bioassay; dorsal root ganglia; chick, 540

Toad
electromyogram (EMG); prey-catching behavior; motor pattern; electrical stimulation; optic tectum, 154

Transfer of training
pontine nuclei; mossy fiber stimulation; cerebellum; classical conditioning; conditioned stimulus, 606

Transplantation
monosodium glutamate (MSG); growth hormone (GH); growth hormone-releasing hormone (GRH); arcuate nucleus; immunohistochemistry, 555

U

Ultrastructure
taurine; neurotransmitter; neuromodulator; symmetrical synapse; deep cerebellar nuclei; immunohistochemsitry, 356

Uvula
cerebellum; nodulus; inhibitory response; renal sympathetic nerve; blood pressure; rabbit, 177

V

Vestibular inputs
group y nucleus; dentate nucleus; fastigial nucleus; interstitial nucleus of Cajal, 285

Visual cortex
cat; kitten; retina; superior colliculus; lateral geniculate nucleus; visual development, 628

Visual development
cat; kitten; retina; superior colliculus; lateral geniculate nucleus; visual cortex, 628

Visual discrimination
prefrontal cortex; neurons; learning; reversal, 106

Visual system
reciprocal connection; superior colliculus; suprageniculate nucleus; rat; HRP, 79

Visually guided forelimb movements
C2 dorsal column transection; severe motor deficits, 462

W

WGA-HRP
olivo-cerebellar fibres; cerebello-olivary fibres; implantation technique, 57

Whole mount electron microscopy
postsynaptic density; synaptic plasma membrane; rat cerebrum, 226